

## VEHICLE ACCESSORIES

### VEHICLE ACCESSORIES

HindSight™ Camera System

Loading Ramps


Truck/Trailer Anchoring Systems

Tow Bars

Transmission Coolers and Accessories

Battery Post Adapter

Battery Isolators





67300



### HINDSIGHT™ CAMERA SYSTEM

- Application use is completely wireless
- Night Vision
- Wide 55° viewing
- Viewing distance over 300 feet without obstruction (actual transmission distance may be reduced by certain obstructions)
- Full color portable 2.4" LCD monitor with 480 x 240 resolution
- 4 Channel monitor allows for multiple cameras
- Instant reverse image of monitor viewing
- Microphone built into camera
- Quick rechargeable lithium-ion batteries
- Complies to FCC regulation

Part No.	Description	Packaging
67300	HindSight Single Back-Up Camera System w/Magnetic Base	Clam - Tow Ready

#### Accessory Parts

Part No.	Description	Packaging
67302	HindSight Single Back-Up Camera, Channel 2	Boxed
67303	HindSight Single Back-Up Camera, Channel 3	Boxed
67304	HindSight Single Back-Up Camera, Channel 4	Boxed

**New**



1120500

### STRAIGHT ALUMINUM LOADING RAMP

- Welded aluminum construction
- Rust and corrosion resistant
- Adjustable attachment strap
- Sold as pair

Part No.	Description
<b>1120500</b>	69" Straight Aluminum Loading Ramp, 1,250 lbs. Capacity (625 lbs. per Ramp)



1123000

### STRAIGHT STEEL LOADING RAMP

- One piece steel construction
- Rust and corrosion resistant

Part No.	Description
<b>1123000</b>	69" Straight Steel Loading Ramp, 600 lbs. Capacity



1123100

### ARCHED ALUMINUM LOADING RAMP

- Center-fold for easy storage
- Arched for easier loading
- Welded aluminum construction
- Rust and corrosion resistant
- Adjustable attachment strap
- Sold as pair

Part No.	Description
<b>1123100</b>	Arched Aluminum Center-Fold Loading Ramp, 1,500 lbs. Capacity (750 lbs. per Ramp)




1120800

### SPORTMAX UTILITY RAMP

- Lightweight aluminum construction
- Rust and corrosion resistant

Part No.	Description
<b>1120800</b>	69" length x 15" width Bi-Fold Utility Ramp, Pair, 1,400 lbs. Capacity (700 lbs. per Ramp)



1122600

### TRI-FOLD UTILITY RAMP

- Lightweight aluminum construction
- Rust and corrosion resistant
- Item Qty: Single

Part No.	Description
<b>1121400</b>	69" length x 45" width Tri-Fold Utility Ramp, 1,500 lbs. Capacity
<b>1121500</b>	77" length x 54" width Tri-Fold Utility Ramp, 1,500 lbs. Capacity
<b>1122600</b>	69" length x 45" width Tri-Fold Loading Ramp, 1,400 lbs. Capacity



1121300

### CENTER FOLDING LOADING RAMP

- Lightweight aluminum construction
- Item Qty: Single

Part No.	Description
<b>1121300</b>	85" length x 12" width Center Fold Loading Ramp, 700 lbs. Capacity



1340000



Removable eyelet for a flush mounting system

**UNIVERSAL ANCHORING SYSTEM**



- 400 lbs. safety rating
- Heavy-Duty chrome plate finish for durability and good looks
- Heavy stainless steel top plate is sized to fit ALL vehicles
- Soft gasket prevents scratching of all painted surfaces
- Stainless steel anchor plates (2) provide exact fit for ALL vehicles

Part No.	Description
<b>1340000</b>	Universal Anchoring System, chrome



9250900



9252200

**TRUCK ANCHOR POINTS**



- Safe and secure tie down attachment with no drilling of truck
- #9250900 fits all trucks with or without bedliners
- Corrosion resistant

Part No.	Description
<b>9250900</b>	Universal Chrome Anchor Points, per pair
<b>9252200</b>	Large Stake Pocket Anchor Points, fits Dodge Ram 94-04 and all Chevrolet Silverado and GMC Sierra, Chrome



9155000

**HD TRAILER HARDWARE AND BED ANCHORS**



Part No.	Description
<b>9155000</b>	HD 3/8" Bed Anchor, per pair, 13/4" x 4", 1,400 lbs. capacity



63180



63181



40604

**5,000 LBS. ADJUSTABLE TOW BARS**




- Light-weight, only 31 lbs.
- Arms adjust from 26" to 41" for universal fit
- Tow bar mounting brackets bolt securely to vehicle bumper - (almost all applications will require a custom fabricated bracket due to bumper design)
- Heavy-Duty quick latch A-frame coupler fits 2" ball
- Tow bar comes assembled, complete with installation instructions
- Some states require the use of double safety chains
- Black powder coat finish

Part No.	Description
<b>63180</b>	Adjustable Tow Bar, 5,000 lbs. GVW, incl. mounting brackets
<b>63181</b>	Adjustable Tow Bar, 5,000 lbs. GVW, incl. mounting brackets w/Bolt together 2-piece adjustment arms
<b>40604</b>	Safety Chain Kit, Class III chains rated at 5,000 lbs.
<b>40602</b>	Replacement Bumper Bracket Kit
<b>2471</b>	Wire Lock Pin

*NOTE: Total weight of towed vehicle must not exceed 5,000 lbs., or must not exceed the weight of the towing vehicle.*



40602





**Don't Tow Without It!**



**TUBE AND FIN TRANSMISSION COOLERS**

- Ultrasonically soldered for reliability
- 100% pressure tested at 150 psi for quality assurance
- High efficiency turbulators for maximum heat dissipation
- 3/8" push-on fittings for quick and easy installation

Part No.	Towing Class	Application	Thickness	Width	Length
<b>41010</b>	Light duty	Compact to mid-size cars (light duty)	3/4"	5"	12-3/4"
<b>41011</b>	Medium duty	Full-Size cars, mini-vans & SUVs towing up to 2,500 lbs. (med. duty)	3/4"	7-1/2"	12-3/4"
<b>41013</b>	Heavy duty	SUVs, vans and pick-up trucks, towing up to 5,000 lbs.	3/4"	7-1/2"	15-1/2"
<b>41014</b>	X-heavy duty	Pick-up trucks and motorhomes, towing over 5,000 lbs.	3/4"	10"	15-1/2"



**PLATE AND FIN TRANSMISSION COOLERS**

- Durable brazed aluminum construction
- Easy to install - simple instructions included
- 33% smaller than comparable tube and fin designs

Part No.	Towing Class	Application	Thickness	Width	Length
<b>41019</b>	Class I	Compact to mid-size cars towing under 2000 lbs.	3/4"	4"	11"
<b>41020</b>	Class II	Full-size cars, mini-vans & SUVs towing 2,000-3,500 lbs.	3/4"	5-3/4"	11"
<b>41310</b>	Class III	SUVs, vans and pick-up trucks towing 3,500-5,000 lbs.	3/4"	7-1/4"	11"
<b>41311</b>	Class III	Pick-up trucks and motorhomes, towing over 5,000 lbs.	3/4"	12"	11"
<b>41312</b>	Class V	Pick-up trucks towing fifth wheels and gooseneck trailers	1-1/2"	11"	11"



41102  
3132



41103

41405

### TRANSMISSION COOLER ACCESSORIES

Part No.	Description
41102	Transmission Oil Cooler Hose, 1 1/32" x 4-1/2' long
3132	Transmission Oil Cooler Hose, 1-1/32" i.d., 25' long
41103	Metal Strap Mounting Kit
41405	Nylon Tie Mount Kit (4 per bag)

### OEM CUSTOM FITTING KITS

Part No.	Description
41411	1986 prior Jeep, 1991 to current FWD GM, 96 and later GMC/Chevrolet truck & van. adapter kit for 5/8"-18 inverted flare, full thread
41412	1987 and newer Jeep adapter kit for 5/8"-18, 45° S.A.E. flare
41413	1987 and newer Jeep, 1995 and later Dodge truck and vans adapter kit for quick disconnect style with rubber hose/metal line
41414	1985-1995 GM Astro and Safari vans Adapter kit for 1/2"-20 inverted flare, full thread
41410	1983 and newer Ford, Lincoln & Mercury cars adapter kit for duckbill style line fittings
41415	1983 and newer Ford, Lincoln & Mercury Cars and Ford trucks & vans, adapter kit for deep-thread style
41416	1999 and later Dodge Trucks Adapter Kit for 9/16"-18 JIC 37° Flare
41417	1987 and later Ford Aerostar, Explorer, Expedition, F-Series trucks & ranger adapter kit for 5/8"-18 inverted flare, recessed thread
41418	1996-up GMC snap-in transmission cooler fitting



41411



41412



41413



41414



41410



41415




41417



41416



41418



### BATTERY POST ADAPTER

Battery Post Adapter for General Motors Side Post Batteries. Allows stud for attaching accessories wires.



Part No.	Description	Packaging
54-98-001	Battery Post Adapter	Bagged - Bargman
3194-S	Battery Post Adapter	Clam Shell - Tekonsha



### BATTERY ISOLATORS

Cadmium plated isolator with terminal nuts and lock-washers. 3 terminal isolator for metal frame ground systems, 4 terminal has insulated ground terminal for use with fiberglass or other non-conductive materials. Isolates starting battery, provides secondary battery current for auxiliary power and full time charging of both batteries.



Part No.	Description	Packaging
7000	Battery Isolator - 3 Terminal	Bulk
54-98-002	Battery Isolator - 3 Terminal	Bagged - Bargman
7000-S	Battery Isolator - 3 Terminal	Clam - Tekonsha
7001	Battery Isolator - 4 Terminal	Bulk
54-98-004	Battery Isolator - 4 Terminal	Bagged - Bargman
7001-S	Battery Isolator - 4 Terminal	Clam Shell - Tekonsha



### BATTERY ISOLATION SOLENOID

Battery isolation solenoids are used to switch the auxiliary 12v feed off when the ignition is off.



Part No.	Description	Packaging
118665	Battery Isolation Solenoid, 3 Pole, 12 Volt (Chassis Ground)	Clam - Tow Ready

